

SAFETY DATA SHEET



SECTION 1 — PRODUCT IDENTIFICATION

Product identifier:Alba Dry Cleaning Fluid (formally called California Gold)Product Codes(s):ALB1401, ALB4416, ALB4432Recommended use of the chemical and restrictions on use:Spot remover for textiles.Supplier's name and address:MERROW / SUPERIOR502 Bedford Street, Fall River, MA 02720T: (212) 619-5900

Emergency Telephone #:

Spill, leak, fire, exposure or accident – Call CHEMTREC – Day or Night 1-800-424-9300 or 1-703-527-3887 (USA & Canada) 01-800-681-9531 (Mexico)

This MSDS complies with 29CFR 19190.1200 (Hazard Communication Standard) and WHMIS regulations. IMPORTANT: Read this MSDS before handling and disposing of this product. Pass this information on to employees, customers, and users of this product.

SECTION 2 — HAZARDS IDENTIFICATION

CLASSIFICATION:

Flammable Liquids: Category 4 Reproductive toxicity (fertility): Category 2 Skin corrosion/irritation: Category 3 Serious eye damage/eye irritation: Category 2B

SIGNAL WORD: WARNING!

LABEL PICTOGRAM:



HAZARD STATEMENTS:

- H227 Combustible Liquid
- H316 Causes Mild Skin Irritation
- H320 Causes Eye Irritation
- H361 Suspected of Damaging Fertility or the unborn child.

PRECAUTIONARY STATEMENTS:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sourcesNo smoking.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

RESPONSE:

P308+313	If exposed or concerned: Call a POISON CENTER/doctor. Get medical advice/attention.
P370+P378	In case of fire: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish.
P332+P313:	If skin irritation occurs: Get medical advice/attention.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if
	Present and easy to do – continue rinsing.
P337+313	If eye irritation persist get medical advice/attention.

STORAGE/DISPOSAL:

P403+235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local regulation.

Hazard(s) not otherwise classified (HNOC): None known.

Supplemental information: None

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS #	Concentration
Cyclopolydimethylsiloxane	69430-24-6	90.0 - 100.0
1,2-trans-Dichloroethylene	156-60-5	1.0 - 5.0
1,1,2,2-Tetrafluoroethyl-2,2,2-Trifluoroethyl ether	406-78-0	0.5 - 1.0

SECTION 4 — FIRST AID MEASURES

Description of first aid measures

- *Ingestion*: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. When symptoms persist or in all cases of doubt seek medical advice.
- *Inhalation:* If breathed in, move person to fresh air. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. When symptoms persist or in all cases of doubt seek medical advice.
- *Skin Contact:* Remove/Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water. When symptoms persist or in all cases of doubt seek medical advice. Wash contaminated clothing before re-use.
- *Eye Contact:* If in eyes, rinse with water for 15 minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.

Indication of any immediate medical attention and special treatment needed:

May cause eye and skin irritation. Symptoms may include stinging and tearing. Symptoms may include redness, itching and swelling. May cause central nervous system depression. Symptoms may include nausea, vomiting, dizziness, drowsiness and other symptoms of central nervous system depression. May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath.

SECTION 5 — FIRE FIGHTING MEASURES

Extinguishing media: Water; Carbon dioxide (CO2); Dry chemical; Alcohol-resistant foam.

Unsuitable extinguishing media: Water jet or stream is unsuitable.

Special hazards arising from the substance or mixture / Conditions of flammability:

Combustible liquid and vapour. Vapours are heavier than air and collect in confined and low-lying areas. Toxic fumes, gases or vapours may evolve on burning.

Flammability classification (OSHA 29 CFR 1910.106): Flammable liquid – Category 4

Explosion Data: Sensitivity to Mechanical Impact / Static Discharge:

Not expected to be sensitive to mechanical impact or static discharge.

Hazardous combustion products: Carbon oxides, silicon oxides.

Closed containers may explode if exposed to extreme heat.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters:

Special fire-fighting procedures: Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable person protective equipment.

Environmental precautions: Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply

Methods and material for containment and cleaning up:

Eliminate all ignition sources if safe to do so. Stop spill or leak at source if safely possible. Dike for water control. Absorb material with inert absorbent, and place into labelled containers for disposal. Keep in properly labelled containers. Wash area thoroughly with a detergent solution and rinse well with water. Refer to Section 13 for disposal of contaminated material.

Special spill response procedures:

If a spill/release in excess of the EPA reportable quantity is made into the environment immediately notify the National response center in the United States (1-800-424-8802).

SECTION 7 — HANDLING AND STORAGE

Precautions for safe handling:

Keep away from flames and hot surfaces. - No smoking. Avoid breathing vapours or mists. Use only in well-ventilated areas. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes and clothing. Keep away from heat. Keep container tightly closed. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Wash thoroughly after handling.

Conditions for safe storage:

Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Inspect periodically for damage or leaks. Protect against physical damage. Keep containers dry and tightly closed to avoid moisture absorption and contamination.

Incompatible materials: Oxidizing agents; Strong acids.

SECTION 8 — EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits:

Chemical Name	ACGIH TLV		OSHA TLV	
Cyclopolydimethylsiloxane	TWA: N/Av	STEL: N/Av	PEL: N/Av	STEL: N/Av
1,2-trans-Dichloroethylene	TWA: 200 ppm	STEL: N/Av	PEL: N/Av	STEL: N/Av
1,1,2,2-Tetrafluoroethyl-2,2,2-	EPA 8hr TWA	EPA-CEILING	PEL: N/Av	STEL: N/Av
Trifluoroethyl ether	75 ppm	150 ppm		

Exposure controls:

Ventilation and engineering measures:

Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection:

In the case of vapour formation use a respirator with an approved filter. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Skin protection:

Impervious gloves must be worn when using this product. Advice should be sought from glove suppliers.

Eye / face protection: Safety glasses with side shields should be used with this product.

General hygiene considerations:

Avoid contact with skin, eyes and closing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Avoid breathing vapours or mists.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear
Odor	Mild Solvent
Odor threshold	Not Available
pH (Neutrality):	Not applicable
Melting point/Freezing point:	17.5°C
Initial Boiling range	175°C
Flash point (Test Method)	>77°C />170°F (TCC)
Flashpoint (Method)	ASTM D56
Evaporation Rate (n-Butyl acetate=1)	> 1
Flammability (solid, gas)	N/Av
Lower flammable limit (% by vol):	N/Av
Upper flammable limit (% by vol):	N/Av
Oxidizing properties:	None known
Vapour pressure (mm of hg) @20 C	.75
Vapour density (Air=1)	N/Av
Relative Density Specific Gravity	> .95
Solubility in water	Insoluble
Other solubility(ies)	None known
Partition coefficient (n-Octane/water)	N/Av
Auto ignition temperature	N/Av
Decomposition temperature	N/Av
Volatile organic compounds (VOC's)	
Total Voc's (TVOC)*	100.0%
None Exempt Voc's (CVOC)*	3%
Hazardous air pollutants (HAPS)	0.0 wt% / 0.0 g/l / 0.00 lbs/gal
Non-exempt voc partial pressure (mm of hg @ 20 C)	44.8 kPa (336 mm Hg) (25°C)
Absolute pressue of container	N/Ap
Flame projection length	N/Ap
Other physical/chemical comments	None known

*Using California South Coast Air Quality Management District (SCAQMD) rule 443.1

SECTION 10 — REACTIVITY AND STABILITY DATA

Reactivity:	Stable under the recommended storage and handling conditions prescribed.
Chemical Stability:	Stable under the recommended storage and handling conditions prescribed.
Possibility of hazardou	s reactions: Hazardous polymerization will not occur. No dangerous reactions known under
normal use.	
Conditions to avoid:	Avoid contact with incompatible materials. Direct sources of heat.
Incompatible Material	s: Oxidizing agents; Strong acids.
Hazardous decomposit	ion products:
	None known, refer to hazardous combustion products in Section 5.

SECTION 11 — TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:	
Routes of entry inhalation:	Yes
Routes of entry skin & eyes:	Yes
Routes of entry Ingestion:	Yes
Routes of exposure skin absorption:	No
Potential Health Effects:	
Signs and symptoms of short-term (acute	e) exposure
Sign and symptoms Inhalation:	Inhalation may cause headache, nausea and central nervous effects such as
	dizziness, coordination difficulties and unconsciousness.
Sign and symptoms ingestion: vomiting	Ingestion may cause irritation to mucous membranes. May cause nausea,
	and diarrhea.
Sign and symptoms skin:	May cause skin irritation. Symptoms may include redness, itching and swelling.
Sign and symptoms eyes:	May cause eye irritation. Symptoms may include tearing, redness and discomfort.
Potential Chronic Health Effects:	Possible irritation and dermatitis (rash), characterized by red, dry, itching skin.
Mutagenicity:	Contains no ingredient listed as a mutagen.
Carcinogenicity:	No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.
	Not expected to have carcinogenic effects.
Sensitization to material:	Not expected to be a skin or respiratory sensitizer.
Specific target organ effects:	Eyes, skin, respiratory system and digestive system.
	The substance or mixture is not classified as specific target organ toxicant, single
	exposure.
Irritancy:	May cause eye, skin and respiratory tract irritation.
Medical conditions aggravated by overex	posure:
	Pre-existing skin, eye and respiratory disorders.

Toxicological data:

Chemical Name	LC ₅₀ (4hr) inh, rat	LD ₅₀ (Oral,rat)	LD50 (Rabbit, dermal)
Cyclopolydimethylsiloxane	>5 mg/L	>16 mL/kg	>16 mL/kg
1,2-trans-Dichloroethylene	24100 ppm (6.05mg/L)	7900 mg/kg	>5000 mg/kg
1,1,1,1-Tetrafluoroethyl-2,2,2-trifluoroethyl ether	3,020 ppm (24.8 mg/L)	>2,000 mg/kg	Rat: >2,000 mg/kg

Other important toxicological hazards: None known or reported by the manufacturer.

SECTION 12 — ECOLOGICAL INFORMATION

Ecotoxicity:

No data is available on the product itself. The product should not be allowed to enter drains or water course, or be deposited where it can effect ground or surface waters.

Ecotoxicity data:

LCOLOXICITY data.				
Ingredients	CAS No.	Toxicity to Fish		
		LC ₅₀ / 96h	NOEC / 21 day	M Factor
1,2-trans-Dichloroethylene	156-60-5	74 mg/L (Bluegill sunfish)	N/Av	None

Ingredients	CAS No.	Toxicity to Daphnia		
		EC ₅₀ / 48h	NOEC / 21 day	M Factor
1,2-trans-Dichloroethylene	156-60-5	79 mg/L (Water flea)	N/Av	None
Ingredients	CAS No.	Toxicity to Algae		
		EC ₅₀ / 96h or 72h	NOEC/96h or 72h	M Factor
1,2-trans-Dichloroethylene	156-60-5	712 (Green algae) mg/L	N/Av	None

Persistence and degradability: Bioaccumulation potential: Mobility in soil: Other Adverse Environmental effects: The product itself has not been tested. The product itself has not been tested. The product itself has not been tested. None known.

SECTION 13 — DISPOSAL CONSIDERATIONS

Handling for Disposal Methods of Disposal

RCRA

Handle waste according to recommendations in Section 7. Dispose in accordance with all applicable federal, state, provincial and local regulations. If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14 — TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	\oslash
49CFR/DOT Additional information	Not regulated for	road or rail shipment if packaged in non-bulk containers (450 L / 119 Ga $$	allons or less each)).	
TDG	None	Not regulated.	Not regulated	none	\oslash
TDG Additional information	None.	•			
ICAO/IATA	None	Not regulated.	Not regulated	none	\bigotimes
ICAO/IATA Additional information	None.	·			

Special precautions for user :

Environmental hazards : See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15 — REGULATORY INFORMATION

<u>US Federal Information:</u>	Components listed below are present on the following U.S. Federal chemicals lists:							
Ingredients	CAS #	TSCA	CERCLA	SARA TITLE III:	SARA TITLE III: Sec. 313, 40 CFR			
		Inventory	Reportable Quantity	Sec. 302 Extremely	372, Specific Toxic Chemical			

			(RQ) (40CFR 117.32):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	De minimus Concentration
Cyclopolydimethylsiloxane	69430-24-6	Yes	N/Ap	N/Av	No	N/Ap
1,2-trans-Dichloroethylene	156-60-5	Yes	1000 lb / 454 kg	N/Av	No	N/Ap
1,1,2,2-Tetrafluoroethyl-2,2,2-	406-78-0	Yes	N/Ap	N/Av	No	N/Ap
Trifluoroethyl ether						_

CER Reportable Quantity (RQ) (40 CFR 117.302): See Section 6

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Immediate (Acute) health hazard; Chronic Health hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	Calif	State "Right to Know" Lists						
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Cyclopolydimethylsiloxane	69430-24-6	No	N/Ap	No	No	No	No	No	No
1,2-trans-Dichloroethylene	156-60-5	No	N/Ap	Yes	Yes	No	No	Yes	No
1,1,2,2-Tetrafluoroethyl-2,2,2- Trifluoroethyl ether	406-78-0	No	N/Ap	No	No	No	No	No	No

International Information:

Components listed below are present on the following international inventory list:

Ingredients	CAS #	European	Australia	Philippines	Japan	Korea	China	New Zealand
		EINECs	AICS	PICCS	ENCS	KECI/KECL	IECSC	IOC
Cyclopolydimethylsiloxane	69430-24-6	N/Av	Present	Present	(7)-475	KE-09325	Present	HSR003615
1,2-trans-Dichloroethylene	156-60-5	205-860-2	Present	Present	(2)-103	KE-10123	Present	HSR001122
1,1,2,2-Tetrafluoroethyl-2,2,2- Trifluoroethyl ether	406-89-0	N/Av	N/Av	N/Av	N/Av	N/Av	N/Av	N/Av

SECTION 16 — OTHER INFORMATION

Legend:

ACGIH: American Conference of Governmental Industrial Hygienists CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980

CFR: Code of Federal Regulations DOT: Department of Transportation EPA:

Environmental Protection Agency

HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer Inh: Inhalation

N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit

RCRA: Resource Conservation and Recovery Act RTECS: Registry of Toxic Effects of Chemical Substances

SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values

TPQ: Threshold Planning Quantity TSCA: Toxic Substance Control Act TWA: Time

Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References:

1. Material Safety Data Sheet from manufacturer.

2. Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 (Chempendium, RTECs, HSDB, INCHEM).

3. European Chemicals Agency, Classification Legislation, 2015.

4. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2015.

Other special considering for handling:

HMIS HAZARD RATINGS:

HEALTH: 1 FLAMMABILITY: 2 PHYSICAL HAZARD: 0 PERSONAL PROTECTION: B
HAZARD RATING KEY:
4 = Extreme, 3 = High, 2 = Moderate, 1 = Slight, 0 = Insignificant, * = Chronic Health Hazard.
B = Safety Glasses & Gloves - Personal Protection Rating to be supplied by user based on use conditions. This information is intended solely for the use of individuals trained in the HMIS hazard

Rating systems.

NFPA RATING:

HEALTH:1FLAMMABILITY:2INSTABILITY:0SPECIAL HAZARDS:NFPA HAZARD KEY:0 = Minimal,1=Slight,2=Moderate,3=Serious,4=Severe.

NOTICE

The supplier disclaims all expressed or implied warranties of merchantability or fitness for a specific use, with respect to the information provided herein, except for conformation to contracted specifications. All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency.

Conditions of use are beyond our control, and therefore, users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their handling, and disposal of the product. Users also assume all risks in regards to the publication or use of, or reliance upon information contained herein.

This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

Unless updated, the Safety Data Sheet is valid until 03/16/2025.

Prepared for: Albatross USA Inc.
Telephone number: 718-392-6272
Preparation Date: February 7, 2015
Revision Date: December 20, 2022
Reason for revision: 1) Product name change. Formally called EverBlum California Gold Cleaning Fluid