
ONINSAMERAMAN HAVINE BANKA H

ILLUSTRATED SPARE PARTS LIST FOR HIGH SPEED SAFETY STITCH MACHINE



MODELS & DEVICES

Z361	Z362	Z365	
Z366	Z367	Z368	
 —— к —	MT-	MTIO-	

The Guideline to Utilize Parts Book for Class Z361

Quickly and without mistake, when certain part must be replaced for repair or remodelling, you will obtain the right object in your hands by means of this Parts Book which shows names and numbers in contrast with illustrations by each mechanism.

Parts for Z361-A3DF (A4), the standard model, are shown from Page 1 to 13, and those for Sub-models, Attachments and Extra Parts to be supplied on extra orders from Page 14.

Note: * Parts for Sub-models are shown only by those different from the standard model.

* Parts used in common with the standard model are not shown except those of virtual lines (two-dots chain lines).

For your convenience, Gauge Parts are shown in 'List of Spare Parts", Page 21.

By Parts Numbers listed in "INDEX" from Page 22, you can easily check the shape and /or setting spot of parts on machines.

Your purchase order must be placed with their own numbers!

Additionally, kindly understand that there may be some changes in numbers or shapes of parts owing to our constant technical improvements, because the Parts Book has been made on the basis of the production in May, 1982.

〈パーツブックご利用に際して〉

この度は、ヤマトZ361クラスのミシンをお買上げ頂き、誠にありがとうございます。

このパーツブックは修理交換用の部品や他のモデルに改造する場合等に目的の部品をいち早く 捜して頂くため、分かり易く機構別にイラストと表を対比して掲載しております。


すなわち、Z361-A3DF(A4)を基本モデルとし、1ページから13ページまでを基本モデル、14ページからサブモデル、附帯装置及び特注部品の部品を掲載しております。このサブモデルの部品構成は、基本モデルと異なる部品のみを掲載しており、仮想線(2点鎖線)及び無掲載の部品は基本モデルと共通使用のものでありますから、この点ご留意ください。

ゲージパーツ関係は21ページに主要部品リストとして分かり易く表にしてありますので合わせてご利用ください。

また、部品番号で部品の形状や、ミシンのどの部分に組込まれている部品か等をお調べの場合は22ページからの索引 (INDEX) にて簡単に引き出せます。

部品をお求めの際は部品番号でお間違いのないようお願いします。

なお、このパーツブックは1982年5月現在製造中のミシンを基本に作成しております。品質性能に関しましては絶えず研究し、日々改良を加えておりますので部品番号及び形状等が異なる場合がありますからご了承ください。




PERSPECTIVE 透 視 図

CONTENTS

目 次


MISCELLANEOUS COVERS (1)カバー関係(1) 1
// // (2) ······· // (2)······ 2
// // (3) ······ // (3)····· 3
MISCELLANEOUS THREAD EYELETS ····································
CRANKSHAFT & MISCELLANEOUS BUSHINGS······主軸及びブッシュ関係······ 5
NEEDLE BAR DRIVING MECHANISM ························
KNIFE DRIVING MECHANISM ······· 7
PRESSER FOOT MECHANISM ···················押工機構·················
UPPER LOOPER DRIVING MECHANISM ············上ルーパ機構············· ら
LOWER & DOUBLE CHAINING LOOPER DRIVING MECHANISM …・・ 下ルーパ及び二重環ルーパ機構・・・1 C
FEED DRIVING CONTROL MECHANISM前送リ調節機構11
FEED DRIVING MECHANISM・・・・・・・12
LUBRICATING MECHANISM ········13
EXTRA & Z361-Y·C, 362-A·Y·C EXCLUSIVE PARTS······特注部品及びサブモデル専用部品·····14
Z365-A, 366-A, 367-A EXCLUSIVE PARTSサブモデル専用部品15
Z365-C, 366-C EXCLUSIVE PARTS····································
Z368-A EXCLUSIVE PARTS ····································
"C"&"K" DEVICE ······18
"MT" DEVICE ·············19
THREAD STAND & SUPPORTING BOARD
LIST OF MAIN SPARE PARTS ················主要部品リスト·········21
INDEX ························索引············

Illustration of this Parts Book is based on the Model Z361-A3DF(A4DF). このパーツブックはZ361-A3DF(A4DF)を基本にしてイラストを作成しております。



From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	Parts No.	$\underline{\textit{Description}}$	<u> </u>	名	$rac{Amt.}{Req.}$
1	31880	Machine Frame	フレーム	4	1
2	33209	Base Gasket ·····	・・・・・・・・ベース/	ペッキン	1
3	3650 1	Base			
4	32421	Drain Hole Seal for Inner			
5	5076	Drain Hole Screw for Inner			
6	567	Drain Hole Seal for Outer			
7	9852	Drain Hole Screw for Outer			
8	33284	Chip Guard (Lower) ·····			
9	1330	Screw for 33284			
10	34628	Adapter (Short)	アダプタ	☞(短)······	4
11	32879	Base Rubber Cushion (Blak-colored)			
12	33627	" " (Green-colored)			
13	5519	Screw for 36501			
14	563	Washer for 36501 ·····			
15	570	Seal for 36501			
16	317	Seal for 36501			
_ 17	33026	Rubber Cushion Holding Plate			
18	6910	Wood Screw for 33026			
19	31883	Cloth Plate (Upper) ······			
20	34507	Cloth Plate Latch Bracket	·····クロスフ	プレートバネ掛ケ片	1
21	532	Washer for 34507			
22	4358	Screwfor 34507			
23	9143	Screw for 34507			
24	36515	Cloth Plate Spring			
25	7006	Screw for 36515			
26	335	Stopper Nut for 31883			
27	7405	Stopper Screw for 31883			
28	36516	Cloth Plate Latch			
29	322	Nut for 36516			
30	1174	Screw for 36516	クロスフ	プレートフック止ネ	ジ 1
31	34509	Cloth Plate Latch Spring			
32	6066	Screw for 34509	クロスフ	プレートストップバ	ネ止ネジ 1




From the library of: Superior Sewing Machine & Supply LLC

	Ref. No.	Parts No.	<u>Description</u>		名	Amt. Req.
	1	36429	Top Cover (Right)	···上カバー(a	右)·····	1
	2	4445	Screw for 36429, 36333, 36240			
	3	36414	Top Cover Gasket (Right)			
	4	36336	Packing Piece for 36429	…上カバー(a	右)詰栓	1
	5	32970	Thread Lead Bar	…糸道棒	•••••	1
	6	4435	Screw for 32970	…糸道棒止ネ	<i>9</i>	1
	7	36333	Top Cover (Left)			
	8	9106	Screw for 36333	…上カバー(マ	左)止ネジ	2
	9	36507	Top Cover Gasket (Left)			
	10	36334	Top Cover Gasket (Small)	…上カバーパ	『ッキン(小)	1
	11	20004	Oil Cap			
	12	20005	Oil Cap O-ring			
	13	36479	Packing Piece ·····	…詰栓		1
	14	916	Brand Name Plate			
	15	33562	Double Chaining Looper Thread Eyelet (Rear)			
	16	4440	Screw for 33562, 31871, 32607			
	17	36179	Needle Thread Cover			
	18	1016	"Z" Mark			
	19	32620	Needle Thread Cover Latch Spring			
	20	7006	Screw for 32620	…針糸カバー	バネ止ネジ	2
	21	32622	Needle Thread Cover Pin			
	22	36240	Side Cover ·····			
	23	32618	Side Cover Gasket ·····			
	24	31885	Cloth Plate Hinge			
	25	34639	Cloth Plate Hinge Gasket			
	26	5089	Screw for 31885			
	27	528	Washer for 31885			
	28	34637	Cloth Plate Eccentric Bushing			
	29	7650	Screw for 34637			
	30	34505	Cloth Plate Hinge Pin Collar	…クロスプレ	ートヒンジピンカラー…	1
	31	1459	Screw for 34505			
	32	31871	Chip Guard Support			
	33·	31872	Chip Guard (Fixed)	…切屑落シ板	(大)	1
	34	1330	Screw for 31872	…切屑落シ板	(大)止ネジ	2
	35	1223	Screw for 31872			
į ;	36	32607	Front Cover Hinge			
	37	32608	Front Cover Hinge Pin			
	38	31873	Chip Guard (Openable) ······			
	39	5131	Screw for 31873			
	40	36435	Front Cover ·····	…前開キカバ	<u> </u>	1
	41		Model Plate (See the table.)			
	42	:	Gauge Indicate Plate (See the table.)			
	43		Device Indicate Plate (See the table.)			
	44-1	2528	Threading Chart (Z361)			
	44-2	2529	" (Z362)			
	45	32609	Front Cover Latch Spring			
	46	4358	Screw for 32609	…前開キカバ	ーバネ止ネジ	1

Model Plate	Parts No.
Z361	18650
Z362	18651
Z365	18652
Z366	18653
Z367	18654
Z368	18655


Gauge Indicate Plate	Parts No.
Y4DF	20804
A3DF	20802
A4DF	20806
A4GF	20770
C5DF	20810
C5GF	20771

Device Indicate Plate	Parts No.
/K .	18700
/MT	18701
/MT10	18774




From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	Parts No.	$\underline{\textit{Description}}$	EL .	各	$rac{Amt.}{Req.}$
1	33653	Fabric Guide	布滑リ案	《内板······	1
2	4353	Screw for 33653			
3	33764	Double Chaining Looper Thread Eyelet	二重環ル	·一パ糸道	1
4	4441	Screw for 33653	布滑リ案	₹内板止ネジ	1
5	34675	Feed Mechanism Cover	送り上カ	バー	1
. 6	4437	Screw for 34675			
7	34676	Feed Mechanism Cover Gasket			
8	32604	Cloth Plate Rubber Cushion			
9	32663	Worm Oil Shield	ウォーム	カバー	1
10	9853	Screw for 32663	····・ウォーム	カバー止ネジ…	1
11	32627	Needle Bar Connecting Link Cover	針棒カバ	ζ	1
12	1223	Screw for 32627	針棒カバ	「一止ネジ	······ 2
13	930	Oil Seal Plug			
14	928	Oil Seal Plug			
15	5078	Screw for Machine Frame	フレーム	、ネジ蓋	2
16	20538	Seal Ring for 5078			
17	36384	Foot Lifter Hinge Cover			
18	4440	Screw for 36384			
19	36808	Seal Plug for Machine Frame	·······詰栓·····		2
20	32429	Wire ····	鉄線(2.5	5mm)	1
21	33265	Seal Plug for Machine Frame	······詰栓·····		1
22	33013	Feed Bar Driving Shaft End Cap	送り軸蓋	₹(組)⋯⋯⋯⋯	1
23	5345	Screw for 33013			
2 4	33012	Crankshaft Ball Bearing (Small) Gasket	端ブッシ	/ュ蓋パッキン…	1
25	33037	Crankshaft Ball Bearing (Small) Cap			
26	33038	Crankshaft Ball Bearing (Small) Cap Clamp			
27	1174	Screw for 33038			
28	5094	Screw for 36216	ブッシュ	ボタンガイドネ	ジ 1
29	33131	Feed Dog Regulating Pushbutton Spring	ブッシュ	ボタンバネ	1
30	36216	Feed Dog Regulating Pusbbutton	·······ブッシュ	.ボタン	1
31	32612	Seal Plug ·····			
32	3434	Screw for 32612	詰栓止ネ	ジ	1




From the library of: Superior Sewing Machine & Supply LLC

$rac{Ref.}{No.}$	Parts No.	$\underline{\textit{Description}}$	品	名	$rac{Amt.}{Req.}$
1	24084	Thread Tension Spring Cap	・・・・・糸調子ノ	バネキャップ(上)…	4
2	24083	Tension Spring Bushing			
3	30255	Needle Thread Tension Spring			
4	20118	Thread Tension Spring Retainer			
5	177	Felt for 31111			
6	31111	Tension Disc			
7	7904	Tension Post (Long)			
8	36399	Needle Thread Tension Disc Eyelet			
9	31888	Double Chaining Needle Thread Eyelet Holder			
10	35366	Double Chaining Needle Thread Eyelet			
11	4358	Screw for 35366	····二重環釒	計糸道止ネジ	1
12	4125	Needle Thread Tension Post (Short)	糸調子棒	奉(短)	1
13	340	Nut for 4125			
14	32952	Looper Thread Tension Spring	・・・・・ルー パジ	糸調子バネ	2
15	32962	Looper Thread Tension Disc Eyelet	調子台差	糸道	2
16	35363	Needle Thread Eyelet	·····針糸道·		1
<u>~ 17</u>	35364	Needle Bar Thread Retainer Bracket			
18	5000	Screw for 35364			
19	35365	Needle Thread Pull-off	·····針糸繰!	y	1
20	1228	Screw for 35365	針糸繰り	J 止ネジ·····	2
21	36175	Needle Bar Thread Retainer Plate Support	小調子机	反·····	1
22	32425	Needle Bar Thread Retainer Plate			
23	32426	Needle Bar Thread Retainer Spring			
24	1092	Screw for 32425			
25	33159	Looper Thread Eyelet Pipe (Long)			
26	20123	Double Chaining Looper Thread Tension Disc Eye			
27	4120	Tension Post ·····			
28	20124	Tension Disc ·····			
29	20125	Double Chaining Looper Tension Spring			
30	20126	Tension Spring Bushing	·····二重環》	糸調子ナット回り止っ	×······ 1
31	182	Thread Tension Spring Nut	調節ナッ	y h	1
32	36640	Thread Take-up Eyelet Bracket			
33	10	Spring Washer for 36640			
34	6004	Screw for 36640			
35	31874	Double Chaining Looper Thread Eyelet			
∵ 36	33205	Thread Retaining Finger			
37	9853	Screw for 33205, 36643			
38	20128	Double Chaining Looper Thread Eyelet			
39	36643	Stopper Holder			
40	36641	Double Chaining Looper Thread Eyelet Stopper			
41	5044	Screw for 36641	…カム糸道	首ストッパ止ネジ…	1
42	36531	Looper Thread Eyelet Support	前カバ-		······ 1
43	1326	Screw for 36531, 36533			
44	36533	Looper Thread Eyelet (Left)			
45	36534	Looper Thread Pull-off			
46	36532	Looper Thread Eyelet (Right)			
47	4440	Screw for 36534			
48	14	Washer for 36532			
49	1227	Screw for 36532			
50	32963	Looper Thread Tube	糸道パっ	ィプ	2




From the library of: Superior Sewing Machine & Supply LLC

Ref.	Parts				Amt.
No.	No.	Description	66	名	Req.
1	31887	Pulley	・・・・・プーリー		1
2	3591	Main Screw for 31887 ·····	プーリ決	とメネジ	<u>1</u>
3	9203	Sub-Screw for 31887 ·····	プーリ止	<u>-</u> ネジ······	I
4	32817	Crankshaft Ball Bearing Housing Cap	大ブッシ	,ュ蓋	1
5	4441	Screw for 32817·····	大ブッシ	・ュ蓋止ネジ	4
6	32818	Crankshaft Ball Bearing Retaining (Outer)	ボールへ	(アリング押エ…	······ 1
7	32777	Crankshaft Ball Bearing	ボールへ	(アリング	1.
8	32775	Crankshaft Ball Bearing Housing	大ブッシ	′ュ	1
9	32778	Crankshaft Ball Bearing Retaining Ring (Inner)	ストッフ	プリング	<u>1</u>
10	33899	Crankshaft Ball Bearing Washer	ベアリン	・グ位置決メリン・	ク······ 1
11	32925	Oil Pump Driving Worm	ウォーム	,	1
12	7650	Screw for 32925	ウォーム	止ネジ	2
13	33077	Crankshaft Counterweight (Right)			
14	1437	Screw for 33077			
15	33080	Crankshaft			
16	33052	Crankshaft Ball Bearing			
17	33079	Crankshaft Counterweight (Left)			
18	9029	Screw for 33079	·····バランス	(ウェイト(左)止	ネジ 2
19	33200	Double Chaining Looper Thread Take-up	糸調子カ	, L	1
20	1457	Screw for 33200	糸調子カ	ロム止ネジ・・・・・・・	2
21	20601	Crankshaft Bushing (Inner)	+ = 7 \$		1
21 22	32681	Crankshaft Bushing (Left)	中ノツン	, <u>_</u>	1
23	31833 33051	Crankshaft Ball Bearing (Small) Housing	かフック	, <u> </u>	1
23 24	3434	Screw for 33051	端ブック	/ ユ・・・・・・・・・·	1
25	31840	Upper Knife Driving Shaft Bushing (Right)			
26	31839	Upper Knife Driving Shaft Bushing (Left)	・・・・・・トメス彰	#ブッシュ(左)····	ĵ
27 27	2133	Screw for 31839			
28	32906	Upper Knife Driving Shaft Oil Seal			
29	32650	Needle Bar Driving Crank Bushing Plug		ø)	1
30	31838	Needle Bar Driving Crank Bushing (Right)	針棒クラ	・・ ランク軸ブッシュ	(右) 1
	20217				
31	32647	Needle Bar Driving Crank Bushing (Left) Needle Bar Driving Crank Oil Seal	・・・・・・針棒クラ	フンク軸ノツンユ	(左)
32	32684	Looper Driving Shaft Oil Seal			
33	30291	Looper Driving Snaft Oil Seat	・・・・・・ノレー・・・ノ へ野	aオイルンール···· cata ブルシー (int)	1
34 35	31841	Upper Looper Driving Shaft Bushing (Front) Upper Looper Driving Shaft Bushing (Rear)	エルー/	「神川ノツンユ (別)」 『赤ーデー・こ (後)	
35	31842	Upper Looper Bar Guide Bushing (Keur) Upper Looper Bar Guide Bushing	エルー/		1
<u> 36</u>	31834 527	Oil Wick for 32350	・・・・・・・ハネ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	そ内ノッンユ	** 1
37 38	32350	Upper Bar Guide Bushing Cap	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	されてックユ益畑。	1
39	31844	Lower Looper Driving Shaft Bushing (Front)	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	マ軸ブッシュ(前)。	1
40	31845	Lower Looper Driving Shaft Bushing (Rear)	下ルー/	『軸 ブッシュ (後)』	Î
41	31847	Double Chaining Looper Driving Shaft Bushing (Front)…二重	意環ルーパ軸ブッ	シュ(前) 1
42	31848	Double Chaining Looper Driving Shaft Bushing (Rear) …二重	2環ルーパ軸ブッ	シュ(後) 1
43	31853	Feed Bar Driving Shaft Bushing (Right)	送り軸つ	ブッシュ (右)	
44	31852	Feed Bar Driving Shaft Bushing (Middle)	送り軸つ	ブッシュ(中)	1
45	31851	Feed Bar Driving Shaft Bushing (Left)	送り軸つ	ブッシュ(左)	······ <u>1</u>
46	31850	Looper Rocker Shaft Bushing (Right)			
47	31849	Looper Rocker Shaft Bushing (Left)			
48	33119	Differential Feed Control Lever Shaft Bushing	調節レノ	「一軸ブッシュ・・・	1
49	3636	Cap Screw for 31835			
50	31835	Needle Bar Bushing (Upper)	針棒ブッ	, シュ (上)	1
51	353	Oil Wick for 31835	······油芯·····		1
52	31836	Needle Bar Bushing (Lower)	針棒 ブッ	, シュ(下)	1
53	325	Oil Wick for 31836 ·····	······油芯·····		1




From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	Parts No.	Description	品	名		mt. leq.
1	32670	Needle Bar Connecting Rod	…針捺口。	, K		1
2	5071	Screw for 32670				
3-1		Connecting Rod Roller Bearing (Standard)				
3-2		" " " (for Exchange)				
4	32644	Needle Bar Driving Lever				
5	5520	Screw for 32644				
6	32921	Needle Bar Connecting Rod Pin				
7	4410	Screw for 32921				
8	32662	Needle Bar Driving Crank Counterweight				
9	3635	Screw for 32662	・・・針棒ウェ	- ・・ : イト止ネジ:		2
10	32646	Needle Bar Driving Crank Collar				
11	9604	Screw for 32646				
12	32645	Needle Bar Driving Crank				
13	90321	Needle Bar Connecting Link				
14	90320	Needle Bar Connecting Link Pin				
15	278	Oil Wick for 90320				
16	3313	Screw for 90320				
⁾ 17	4313	Screw for 90320				
18	32651	Needle Bar Connecting Bracket				
19	1186	Screw for 32651				
20	37372	Needle Bar ·····	⋯針棒⋯⋯	************	• • • • • • • • • • • • • • • • • • • •	1
21	38101	Needle Clamp				
22	3637	Screw for Needle ·····				
23-1		Needle (System:DC×1)				
		" (System: DM×13)				
24-1	36569	Stitch Plate (A3)				
24-2	36570	" " (A4)······	-	-		
25	5401	Screw for Stitch Plate				
26	33006	Stitch Plate Support				
27	6662	Screw for 33006				
28	32604	Cloth Plate Rubber Cushion				
29	33089	Needle Guard (Front) (A3, A4) (Double Chain Stitch				
30	4404	Screw for 33089, 33087	…針受ケ(∮	前)止ネジ…	••••	2
31	33086	Needle Guard (Rear) (Overlock Stitch)				
32	5098	Srcew for 33086, 33088				
33	33087	Needle Guard (Front) (Overlock Stitch)	…オーバ針	†受ケ(前)…		1
34	33088	Needle Guard (Rear) (Double Chain Stitch)	…インタ金	 受ケ(後)…		1




Ref. No.	Parts No.	Description	<u> </u>	名	Amt. Req.
1	32900	Upper Knife Driving Connecting Rod	上メスロ	ッド	1
2	5071	Screw for 32900	上メスロ	ッド止ネジー	2
3-1	34405	Connecting Rod Roller Bearing (Standard)	ニードル	ベアリング(標準) 1
3-2	32819	" " (for Exchange)			交換用) 1
4 .	32902	Upper Knife Driving Lever			1
5	5520	Screw for 32902, 33140			
6	32921	Upper Knife Driving Connecting Rod Pin	上メスロ	ッドピン	1
7	4410	Screw for 32921			
8	32646	Upper Knife Driving Crank Collar			
9	9604	Screwfor 32646 ·····	上メス軸	カラー(右)」	Ŀネジ······ 2
10	32920	Upper Knife Driving Collar (Left)	······上メス軸	カラー(左)・	1
11	7311	Screw for 32920			
12	32903	Upper Knife Driving Shaft	上メス軸		1
13	33140	Upper Knife Driving Arm			
14	4437	Screw for 33140			
15	33142	Upper Knife Driving Arm Guide	上メス台	ガイド	1
16	3434	Screw for 33142			
³ 17	32519	Upper Knife Driving Arm Guide Plug			
18	32912	Upper Knife Holder Guide			
19	7616	Screw for 32912			
20	5508	Screw for 32914	上メス止	ネジ	1
21	723	Guide Pin for 32912 ·····			
22	32911	Upper Knife Holder			
23	1174	Screw for 32911			
24	32913	Upper Knife Clamp	上メス押	I	1
25	32914	Upper Knife	上メス…		1
26	5074	Screw for 32756			
27	32756	Lower Knife Holder Spring			
28	32916	Lower Knife Holder			
29	4591	Screw for 32916	下メス台	止ネジ	1
30	30421	Lower Knife	スとす		1
31	32917	Lower Knife Clamp ·····			
32	4353	Screw for 32917			
33	36517	Lower Knife Holder Locking Plate			
34	4440	Screw for 36517	下メス台	回り止ネジ・	2




From the library of: Superior Sewing Machine & Supply LLC

Ref.	Parts				Amt.
No.	No.	Description	品	名	\overline{Req} .
					
1	36232	Foot Lifter Lever Stopper	押工揚ゲ	ストッパ	1
2	9127	Screw for 36232			
3	334	Nut for 36230			
4	5505	Adjusting Screw for 36230			
5	36230	Foot Lifter Lever			
6	6000	Screw for 36230			
7	33746	Foot Lifter Lever Spring			
8	32714	Foot Lifter Connecting Link			
9	36231	Foot Lifter Intermediate Lever			
10	32729	Foot Lifter Intermediate Lever Spring			
	02,20	1 doi supret internaceate seed opring	177 ± 440 ×	, , , , , , ,	-
11	32719	Foot Lifter Collar (Small)	押工軸レ	バーカラー(小)	1
12	1459	Screw for 32719			
13	32718	Foot Lifter Latch Collar			
$\overline{14}$	5550	Screw for 32718			
15	32720	Foot Lifter Lever Shaft Bushing			
16	2022	Screw for 32720 ······			
17	6401	Adjusting Screw for Presser Spring			
18	32726	Presser Spring			
		Presser Foot Positioning Arm			
19	32552	Presser Foot Release Lever			
20	32727	Presser Foot Release Lever	于揚ケ…	• • • • • • • • • • • • • • • • • • • •	······ 1
21	32420	Presser Foot Release Lever Bushing		N/ ² / 7	
22	4635	Screw for 32420			
23	32722	Foot Lifter Lever Shaft			
2 <i>3</i> 24	32724				
2 4 25		Foot Carrier Hinge Foot Lifter Hinge Pin			······ 1
	32723				
26	33024	Foot Lifter Hinge Pin Retaining Ring			
27	1186	Screw for 32723			
28	32725	Foot Carrier			
29	32728	Foot Carrier Washer			
30	5541	Screw for 32725	·····押工取付	板止ネジ	1
2.1	225	N 1 6 1100	Im In /*		4
31	335	Nut for 1170			
32	1170	Stopper Screw for Presser Foot	・・・・・・・・押工揚ゲ	ストッパネジ…	I
33	538	Washer for 33537			
34	5509	Screw for 33537·····			
35	33537	Presser Foot, Complete Set (A3, A4)			
j 36	33515	Presser Foot Fabric Guard			
37	1230	Screw for 33515			
38	33657	Presser Foot Hinge Spring	押エヒン	ジバネ・・・・・	1
39	5036	Screw for 33657	押エヒン	ジバネ止ネジ…	1
40	731	Presser Foot Pin	押エバネ	止メピン	1
					1
41	33526	Presser Foot Spring (Small)			
42	6093	Screw for 33526			
43	33529	Presser Foot Adjusting Plate			
44	216	Nut for 6093			
45	33525	Presser Foot Spring (Large)	押ェバネ	(大)	1
46	. 1222	Screw for 33525			
47	32706	Chain Cutter ·····	チェーン	カッタ	1
48	4404	Screw for 32706			
		-		•	



Ref.	Parts	•			Amt.
No.	No.	$\underline{Description}$	品	<u>名</u>	\underline{Req} .
1	33626	Upper Looper Driving Lever Connecting Rod	L n rs	°n ۴	1
2	5071	Screw for 33626 ······	······ E II.— /5	ロット・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	2
3	32785	Looper Driving Lever Link			
4	32784	Looper Driving Lever Link Pin (Short)	ر ، ر عرب ا ۱ <i>۱ ا ب</i> السن	ンクピン(類)…	1
5	9506	Screw for 32784	ر . ر عر	ンクピン(短)止:	えジ1
6	32787	Upper Looper Driving Lever			
7	3635	Screw for 32787			
8	32786	Looper Driving Lever Link Pin (Long)			
9	3404	Screw for 32786	را ۱۳ سرار ۲۳۰۰۰۰	ンクピン(長)止:	ネジ 1
10	34517	Upper Looper Driving Shaft	······上ルーバ	:軸	1
11	32792	Upper Looper Driving Shaft Collar	···・・・・ 上ルーパ	。 ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・	1
12	5550	Screw for 32792			
13	32848	Upper Looper Driving Shaft Thrust Washer			
14	32849	Upper Looper Driving Shaft Thrust Roller	スラスト	⊐ロ	2
15	34478	Upper Looper Bar Driving Arm, Complete Set			
16	34104	Upper Looper Bar Driving Arm	上ルーバ	プランク	1
17	520	Washer for 34104 ·····			
18	5500	Screw for 34104			
19	32799	Upper Looper Bar Driving Arm Pin	・・・・・・ルーパリ	ンクピン	1
20	278	Oil Wick for 32799	······油芯······		1
21	3313	Screw for 32799			
22	32800	Upper Looper Bar			
23	36192	Upper Looper Bar Guide			
24	33359	Upper Looper Holder Collar			
25	5507	Screw for 33359	上ルーバ	『止メカラー止ネ:	ジ 1
26	32807	Upper Looper			
27	304	Oil Wick for 36192			
28	267	Oil Wick for 36192 ·····	·······油芯······		····· 1
29	325	Oil Wick for 36192 ·····	······油芯·····		1
30	36195	Upper Looper Bar Guide Retainer ·····	ルーパ案	内蓋	1
31	5004	Screw for 36195			
32	36218	Upper Looper Bar Guide Stopper			
33	5050	Screw for 36218			
34	32961	Looper Thread Tube	糸道パイ	プ	1
. 35	1892	Screw for 32961			
<i>∴</i> 36	274	Oil Wick for 36195	······油芯······		1




From the library of: Superior Sewing Machine & Supply LLC

LOWER & DOUBLE CHAINING LOOPER MECHANISM


下ルーパ及び二重環 ルーパ機構 10

			· <u> </u>	1126 173	
Ref. No.	Parts No.	$\underline{\textit{Description}}$		名	$rac{Amt.}{Req.}$
1	33633	Lower Looper Driving Lever Connecting Rod	下ルーパ	ロッド	1
2	5071	Screw for 33633			
3	33057	Ball Joint Guide Fork	振レ止メ		1
4	4440	Screw for 33057	振レ止メ	止ネジ・・・・・・・	1
5	30305	Ball Stud			
6	636	Plug for 30305, 33074			
7	4437	Screw for 30305			
8	33058	Lower Looper Driving Lever			
9	3635	Screw for 33058, 33072	止ネジ…		4
10	33054	Lower Looper Driving Shaft	下ルーパ	軸······	1
11	637	Plug for 33054, 33567, 31876	·······語栓······		5
12	32789	Lower Looper Holder Arm	下ルーパ	台	····· 1
13	520	Washer for 32789, 35396			
14	5500	Screw for 32789, 35396			
15	34392	Lower Looper			
16	3638	Screw for 34392, 20378			
17	36535	Looper Thread Pull-off			
18	1326	Screw for 36535			
19	33568	Looper Driving Shaft Lever	ルーパ振	り腕	1
20	5550	Screw for 33568, 33064, 33071	止ネジ…		3
21	33606	Double Chaining Looper Driving Connecting L	<i>ink</i> 二重環ル	ーパリンク・・・・・	1
22	33567	Looper Driving Connecting Guide Pin	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	ンクピン	1
23	5040	Screw for 33567			
24	33064	Double Chaining Looper Driving Lever	二重環ル	·一パ軸腕······	1
25	33071	Double Chaining Looper Driving Shaft Collar	二重環ル	ーパ軸カラー	1
26	33060	Double Chaining Looper Driving Shaft			
27	35396	Double Chaining Looper Holder Arm			
28	3410	Stopper Screw for 20378			
29	20378	Double Chaining Looper	二重環ル	· / °·······	1
30	33076	Looper Rocker Shaft Collar (Right)	ルーパ前	後軸カラー(右)	1
31	9604	Screw for 33076, 33230, 33074			
32	31876	Looper Rocker Shaft ·····			
33	33072	· Looper Rocker Shaft Arm ·····			
34	32921	Looper Connecting Pin			
35	33230	Looper Rocker Shaft Collar (Left)	・・・・・・・・・・・・・ルーパ前	後軸カラー(左)	1
. 36	33073	Looper Slide Block			
37	33074	Looper Slide Block Pin	ルーパ前	後駒ピン	1




From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	$rac{Parts}{No.}$	Description	品	名	$rac{Amt.}{Req.}$
1	33104	Feed Bar Driving Shaft Collar	\\\ 1 # # .	<u></u>	2
2	5550	Screw for 33104, 33120, 33143		· ·	
3	34521	Main Feed Bar Driving Lever for Reverse Differ.			
4	5520	Screw for 34521, 36291, 33105			
5	637	Plug for 33095			
6	33095	Main Feed Bar Driving Connection			
7	33098	Feed Bar Driving Connection Bushing			
8	451	Nut for 33099 ·····			
9	33667	Feed Bar, Complete Set			
10	33643	Main Feed Bar			
	505 (5		10,000	н	•
11	33642	Differential Feed Bar	…前送リ	台	1
12	33099	Feed Bar Driving Stud	…送リリ	ンクピン	2
13	687	Pin for Feed Bar Driving Stud	送リリ:	ンクピンノックピン‥	2
14	33094	Differential Feed Bar Driving Connection			
15	755	Pin for Oil Wick			
16	36294	Differential Feed Rocker, Complete Set			
17	36291	Differential Feed Rocker			
18	567	Washer for 36291			
19	36292	Differential Feed Regulating Slide Pin			
20	36293	Differential Feed Regulating Slide Pin Cap	…スライ:	ダ蓋	1
21	8145	Screw for 36293	フ ニ イ .	万華 山 う さ	
22	33100	Feed Bar Driving Shaft			
23	639	Plug for 33100·····			
24	33105	Feed Bar Driving Shaft Lever			
25	33683	Feed Bar Connecting Rod Pin			
26	33612	Differential Feed Control Inner Lever, Complete S			
27	5512	Screw for 33121			
28	33121	Differential Feed Control Link			
29	33120	Differential Feed Control Inner Lever			
30	5510	Screw for 33120			
31	30228	Differential Feed Control Inner Lever Shaft Colla	ⅳ …送り詞	調節中レバー軸カラー	1
32	9604	Screw for 30228			
33	33118	Differential Feed Control Inner Lever Shaft			
34	36220	Differential Feed Control Outer Lever			
35	33133	Differential Feed Control Outer Lever Spring			
36	5514	Screw for 33133 ·····			
37	3406	Screw for 33133 ·····			
38	36226	Chain Hook			
39 40	33143	Differential Feed Control Outer Lever Stopper	…送リス	F 9 /	2
40	538	Washer for 33143	····ソッン·	4	Z
41	36223	Differential Feed Graduations for Reverse Differe	ential	送り目盛板(逆差動用)	1
42	1733	Srcew for 36223			
43	5527	Screw for 36223	送り目6	- 盛板止ネジ	1
44	494	Spacer for 36223			
45	31881	Side Cover			
46	9106	Screw for 31881			
4 7	1202	Screw for 31881	…横カバ-	ー止ネジ・・・・・・・	1
48	210	Adjusting Nut for 36220			
49	5511	Adjusting Screw for 36220 ·····	前送リ語	調節外レバー調節ネジ	····· 1




$\frac{R}{l}$	Ref. No.	Parts No.	$\underline{\textit{Description}}$		<u>名</u>	Amt. Req.
	1	33251	Feed Bar Guide (Rear) ·····	·送り台ガイ	ド (後)	1
	2	3632	Screw for 33251			
	3	33252	Feed Mechanism Rear Shield			
	4	9730	Screw for 33252, 33544			
	5	32867	Feed Bar Guide Block	·角駒(小) …		1
	6	33141	Feed Adjusting Eccentric Pin	・エキセンピ	>	···· 1
	7		Oil Wick for 33141			
	8	3635	Screw for 33141	・エキセンピ	ン止ネジ	1
	9	33824	Differential Feed Dog (A3, A4) (for 8 stitches/inch)	…前送り(A	3, A4)(8針用)········	1
	10	4353	Screw for 33824	・前送り止え	ジ······	1
	11	33825	Main Feed Dog (for 8 stitches/inch)			
	12	7609	Screw for 33825			
	13	33544	Auxiliary Feed Dog (for 8 stitches/inch)			
	14	33116	Feed Lift Block	·角駒(大)····		1
	15	33067	Looper Oscillating Rod			
	16	4410	Screw for Connecting Rod Pin	・ロッドピン」	止ネジ	···· 2
	17	33115	Needle Bearing for Looper Oscillating Rod	・ニードルベ	アリング(小)・・・・・・・	···· 1
	18	31860	Looper Oscillating Eccentric			
	19	3405	Screw for 31860	・ルーパ前後	エキセン止ネジ	···· 2
	20	4358	Stopper Screw for 36359, 33649	·止ネジ	***************************************	···· 2
	21	36191	Feed Dog Regulating Eccentric Pin	·送リエキセ	ンピン	1
	22	36359	Feed Dog Regulating Eccentric	・送リエキセ	٠	1
	23	36394	Feed Dog Regulating Eccentric Spring	・回り止メバ	ቅ·····	···· 1
	24	3637	Screw for 36394			
	25	33114	Needle Bearing for Feed Dog Driving Connecting Re	$pd \cdots = - F$	ルベアリング	1
	26	36360	Feed Dog Driving Connecting Rod	·送りロッド・	***************************************	···· 1
	27	36187	Feed Dog Regulating Control Eccentric	・送り調節エキ	キセン	···· 1
	28	20403	Feed Dog Regulating Eccentric Spring	・回り止メバ	ት······	1
	29	4109	Stopper Screw for 36187, 20405			
	30	20405	Feed Dog Regulating Control Eccentric Collar	・送り調節エ	キセンカラー	···· 1
·	31	3638	Screw for 20405			
	32	33649	Feed Mechanism Front Shield (Upper), Complete Sei			
	33	33647	Feed Bar Guide (Left)			
	34	4440	Screw for 33647, 33644			
	35	33651	Feed Mechanism Front Shield (Lower), Complete Se			
	36	1333	Screw for 33651			
	37 ,	33644	Feed Bar Guide (Right)			
	38	33659	Stitch Plate Stay			
	39	5000	Screw for 33659	·針板支工止:	ネジ・・・・・・	···· 2




From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	Parts. No.	$\underline{\textit{Description}}$	品	名	Amt. Req.
1	32685	Needle Bar Oiling Felt (Left)	針棒フェ	ルト(左)	····· 1
2	9853	Screw for 32685, 33282, 33569	止ネジ…		9
3	33661	Oil Tube, Complete Set for Feed Bar Driving (${\it Connection} \cdots$	オイルパイプ(組)…	····· 1
4	33605	Oil Tube	送りロッ	ド給油パイプ	1
5		Oil Wick for Feed Bar Driving Connection	給油パイ	プ油芯(毛糸)	1
6	33660	Oil Nozzle Feed Bar Driving Connection	オイルパ	ィプ	1
7	37697	Oil Nozzle Cap	注油キャ	ップ	2
8		Oil Wick for 33660, 33782	·····油芯·····		2
9	3434	Screw for 33660			
10	33782	Needle Bar Oiling Felt (Right)	針棒フェ	ルト(右)	1
11	550	Washer for 33782, 32806	・・・・・ワッシャ	(ファイバー)	3
12	9604	Screw for 33782, 32476	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		2
13	32476	Oil Receiver			
14	37675	Oil Tube Clamp			
15	419	Nut for 30745			
16	6861	Adjusting Screw for 30745			
17	30745	Oil Pressure Regulating Valve Spring			
18	30748	Oil Pressure Regulating Valve Spring Guide	調圧弁バ	・ ネ案内ピン	1
19	80503	Oil Pressure Regulating Ball	調圧ボー	ル弁	1
20	32938	Oil Pressure Regulating Valve	調圧弁座		1
21	509	Seal for 32897	パッキン		2
22	33671	Oil Pressure Regulating Fitting Tube, Complete	Set …調圧管	(組) ······	······ 1
23	32850	Oil Tube (150mm)	オイルパ	イプ(150mm)	····· 1
24	32944	Oil Tube Clamp (Large)	·····································	۲)	7
25	9989	Screw for 32944			
26	15	Nut for 32944			
27	32897	Oil Pressure Regulating Bracket	······調圧弁取	付台	······ 1
28	33150	Oil Sight Gauge			
29	32806	Upper Looper Bar Oiling Felt	ルーパフ	ェルト	1
30	4353	Screw for 32806	ルーパフ	ェルト止ネジ	2
31	639	Packing Piece ·····			
32	33144	Oil Pump, Complete Set	ポンプ(糸	目) · · · · · · · · · · · · · · · · · · ·	······ 1
33	30711	Oil Pump Driving Worm Gear			
34	9526	Screw for 30711			
35	6330	Screw for 33144			
<i>)</i> 36	926	Seal for 33144			
37	9503	Screw for 33144·····			
38	33662	Pump Filter Screen, Complete Set	ポンプ沪	過網(組)	1
39	33280	Pump Filter Screen Seat			
40	33279	Pump Filter Screen Gasket	ポンプ沪	過網パッキン	1
41	33281	Pump Filter Screen ·····			
42	33282	Pump Filter Screen Clamp			
43	6261	Screw for 33280			
44	33670	Lubricating Tube, Complete Set	······給油管(A	围)	1
45	37669	Oil Tube Joint, One Way			
46	33668	Oil Tube (50mm)			
47	37668	Oil Tube Joint, Two Way			
48	33669	Oil Tube (190mm)			
49	7668	Oil Tube Fitting Stud			
50	567	Seal for 37668, 37669			
51	33569	Feed Mechanism Filter Screen	沪過網…		1
52	33672	Feed Mechanism Filter Screen (Upper)	·········沪過網(J	=)	1




From the library of: Superior Sewing Machine & Supply LLC

	_				4
Ref.	Parts	70	=	4	Amt.
No.	<u>No.</u>	Description	品		Req.
- 1	24042				=\ /&n\ 1
1-1	34943	Safety Plate, Complete Set (Short)			
1-2	36315	" (Long)			
2	32620	Needle Thread Cover Latch Spring			
3	7006	Screw for 32620	…・針糸ス	カバーバネ止ネジ	
4	33680	Safety Plate Spring	t-	フティプレートバ	ネ1
5	322	Nut for 33680			
6	4351	Screw for 33680			
7	33834	Differential Feed Dog (C) (Coarse Mesh)			
8	33835	Main Feed Dog (C) (Coarse Mesh)			
9-1	33826	Differential Feed Dog (A) (for 5 stitches/inch)	⋯前送!	ノ(A)(5針用)…	1
9-2	33830	" " (C) (")	//	(C)(")···	1
10-1	33827	Main Feed Dog (A) (for 5 Stitches/inch)	····後送!	J(A)(")	1
10-2	33831	" " (C) (" ")			
11-1	33559	Auxiliary Feed Dog (A) (for 5 Stitches/inch)	…小送!	J(A)(//)···	1
11-2	33549	" " (C) (") ········	//	(C)(")···	1
12	36775	Pully Graduations Plate (for Normal Differential)	··・・プー!	ノ目盛板(正差動用	月)1
13	36222	Differential Feed Graduations (for Normal Differen	ntial) ·	・・送リ目盛板(正差	≦動用)⋯⋯⋯ 1
14	33096	Main Feed Bar Driving Lever (for Normal Differe	ential) ·	…後送リレバー(i	E差動用) 1
15	33538	Presser Foot, Complete Set (Y)	押工((組) (Y)·······	1
16	33515	Presser Foot Fabric Guard			
17	1230	Screw for 33515			
18	33657	Presser Foot Hinge Spring			
19	5036	Screw for 33657			
20	731	Presser Foot Pin			
20	, , , ,				•
21	33526	Presser Foot Spring (Small)	押エノ	ベネ (小)	1
22	6093	Screw for 33526	…押工/	バネ(小)止ネジ…	1
23	33529	Presser Foot Adjusting Plate	…押工記	周節片	1
24	216	Nut for 6093	ナット	<u> </u>	1
25	33525	Presser Foot Spring (Large)			
26	1222	Screw for 33525	…押エノ	バネ(大)止ネジ…	1
27	38011	Needle Clamp			
28	31865	Stitch Plate (Y4)			
29	33539	Presser Foot, Complete Set (C)		(組)(C)··································	1
30	36590	Stitch Plate (C5)			
50	30000	Stitch Time (W)	MI DX ((03)	•
31	33828	Differential Feed Dog (for 8 Stitches/inch) (Stando	ard) …fi	前送リ(8針用)…	1
32	33829	Main Feed Dog (for 8 Stitches/inch) (Standard)	⋯後送	リ(8針用)	1
33	33328	Auxiliary Feed Dog (for 8 Stitches/inch) (Standard	d) …小字	送リ(8針用)	1
34	33247	Needle Clamp	~ : 北金····	× · · · · · · · · · · · · · · · · · · ·	1
35	33250	Needle Guard (Front) (Double Chain Stitch)	 ハーイン・・・・・	女針受ケ(前)	<u>1</u>
36	31875	Chip Guard (Fixed)			
37	32813	Spreader			
٠,	52013	Spreader	Τ^.	, , ,	




From the library of: Superior Sewing Machine & Supply LLC

Ref. No.	Parts No.	Description			Amt. Req.
1	33391	Ruffling Presser, Complete Set	ラフリン	グ装置 (組)	1
2	33401	Ruffling Presser Foot			
3	5036	Screw for 33401, 33304	止ネジ…		3
4	33399	Ruffling Presser Unit	ラフリン	グ装置	1
5	36267	Ruffling Presser Stopper Spring Plate	・・・・・・ブラケッ	ト止メバネ	1
6	7006	Screw for 36267			
7	33398	Ruffling Presser Spring	押ェバネ		1
8	33400	Front Cover Latch Spring			
9	7405	Screw for 33391, 33400	止ネジ…		2
10	37989	Swing-out Handle for Ruffling Presser	押エ軸レ	バーハンドル	1
11	33307	Differential Feed Dog	······前送リ…	*****	1
12	33308	Main Feed Dog	後送リ…		1
13	33558	Auxiliary Feed Dog	小送り…		1
14	33300	Presser Foot, Complete Set	押工(組)		1
15	33304	Presser Foot Hinge Spring			
16	33526	Presser Foot Spring (Small)	押エバネ	. (小)	1
17	6093	Screw for 33526			
18	731	Presser Foot Pin			
19	33529	Presser Foot Adjusting Plate	押工調節	i片·····	1
20	216	Nut for 6093	・・・・・ナット・・・		1
21	33525	Presser Foot Spring (Large)	押ェバネ	(大)	1
22	1222	Screw for 33525			
23	33430	Tape Guide, Complete Set			
24	35357	Tape Guide Holder Shaft			
25	33433	Tape Guide Bracket	····・・テープガ	イド取付片	1
26	33432	Tape Guide ·····			
27	7616	Screw for 35357, 33432			
28	33405	Presser Foot, Complete Set	·····押工(組)		1
29	1227	Screw for 33304			
30	33409	Folder, Complete Set ·····	·····定規(組)		1
31	1330	Screw for 33409, 33417			
32	538	Washer for 33409, 33417			
33	4358	Screw for 33409, 33417			
34	33417	Folder, Complete Set	······定規(組)		1





Ref. No.	Parts No.	Description	品	名	Amt. Req.
1	33403	Ruffling Presser, Complete Set			
2	33404	Ruffling Presser Foot			
3	5036	Screw for 33404, 33304	止ネジ・・		3
4	33399	Ruffling Presser Unit			
5	36267	Ruffling Presser Stopper Spring Plate	・・・・・・ブラケッ	・ト止メバネ	
6	7006	Screw for 36267			
7	33398	Ruffling Presser Spring			
8	33400	Front Cover Latch Spring			
9	7405	Screw for 33403, 33400	止ネジー		2
10	37989	Swing-out Handle for Ruffling Presser	押工軸レ	バーハンドル	1
11	33247	Needle Clamp ·····			
12	31875	Chip Guard (Fixed)			
13	36590	Stitch Plate ·····			
14	33250	Needle Guard (Front) (Double Chain Stitch)	インタ金	†受ケ(前)	1
15	33315	Differential Feed Dog			
16	33557	Main Feed Dog			
17	35264	Auxiliary Feed Dog			
18	33312	Presser Foot, Complete Set			
19	33304	Presser Foot Hinge Spring	押エヒン	、ジバネ・・・・・・・・・	1
20	33526	Presser Foot Spring (Small)	押エバネ	k (/Jv)	1
21	6093	Screw for 33526			
22	731	Presser Foot Pin	押エバネ	ネ止メピン	1
23	33529	Presser Foot Adjusting Plate			
24	216	Nut for 6093			
25	33525	Presser Foot Spring (Large)			
26	1222	Screw for 33525			
27	33858	Presser Foot, Complete Set			
28	1227	Screw for 33304			
29	33430	Tape Guide, Complete Set			
30	35357	Tape Guide Holder Shaft	テープカ	ガイド取付軸	1
31	33433	Tape Guide Bracket ······			
32	33432	Tape Guide			
33	7616	Screw for 35357, 33432			
34	33866	Folder, Complete Set			
35	1330	Screw for 33866			
) 36	538	Washer for 33866 ·····			
37	4358	Screw for 33866	定規(組))止ネジ	····· 2




サブモデル専用部品

Ref. No.	Parts No.	Description	品名	Amt. Req.
1	33319	Presse Foot, Complete Set	押工 (組)	1
2	33515	Presser Foot Fabric Guard		
3	1230	Screw for 33515		1
4	33657	Presser Foot Hinge Spring	・・・・・・・・・・・押エヒンジバネ・・・・・・・・	1
5	5036	Screw for 33657	押エヒンジバネ止ネジ	······ 1
6	33526	Presser Foot Spring (Small)	押エバネ (小)	······ 1
7	6093	Screw for 33526	押ェバネ(小) 止ネジ	1
8	731	Presser Foot Pin	・・・・・・・・・・・・・・・・押エバネ止ピン・・・・・・・	<u>1</u>
9	33529	Presser Foot Adjusting Plate	押工調節片	1
10	216	Nut for 6093		
11	33525	Presser Foot Spring (Large)	押ェバネ (大)	1
12	1222	Screw for 33525	·····・・・・・・・押ェバネ (大) 止ネジ····-・・	1 _.
13	31820	Stitch Plate	針板針板	1
14	33328	Auxiliary Feed Dog		1
15	31859	Chip Guard (Fixed)	切屑落シ板 (大)	1
16	33325	Chip Guard (Openable)	切屑落シ板(小)	1
17	31823	Tape Guide (Right)		
18	33327	Tape Guide (Left)		








From the library of: Superior Sewing Machine & Supply LLC

"C"及び"K"装置 18


Ref.	Parts No.	$\underline{\textit{Description}}$	品	名	Amt. Req.
1	33925	Regulator, Complete Set	レギュレ	ータ(組)・・・・・・・・・・	1
2	6905	Screw for 33925			
3	33928	Pressure Gauge ·····			
4	10100	Venturi Tube, Comlete Set			
5	33940	Hose Band 3/8 inch			
6	33931	Mouth-piece, Complete Set, PT 1/8 inch			
7	33949	Mouth-piece, PT 1/8 inch			
8	33951	Pipe Holder			
9	33950	Nut for Straight Joint			
10	33953	Air Valve, Complete Set			
11	33938	Collar for 33937	・・・・エアバル	ブ補助バネカラー・	1
12	5040	Screw for 33938, 33936, 33935			
13	33937	Return Spring for Air Valve Stopper			
14	33936	Air Valve Holder	・・・・・エアバル	ブ取付台	1
15	33935	Air Valve Stopper			
16	334	Nut for 33935			
17	5505	Screw for 33935			
18	33934	Air Valve			
19	33941	Nulon Hose 49			
20	33932	Joint for Single Head			
21	33939	Hose Band, 1/4 inch	・・・・・ホースバ	ンド¼インチ	3
22	33942	Nylon Hose 12\$	ナイロン	ホース12∮	1
23	33933	Three Pronged Joint for Plural Heads			
24	33572	Suction Pipe, Complete Set	吸込管(#	且)	1
25	33571	Suction Pipe	吸込管…	.,	1
26	33574	Lower Trimming Knife	········ 下刃······	,,,	1
27	33590	Upper Trimming Knife	上刃		1
28	33575	Lower Trimming Knife Spring	下刃バネ		1
29	33588	Trimming Knife Holder Pin	刃支持ピ	ン	1
30	1202	Screw for 33571, 33590	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		2
31	1230	Screw for 33588			
32	4441	Screw for 33571			
33	4353	Screw for 33571			
34	33592	Suction Pipe Cover ·····			
35	4358	Screw for 33592			
) 36	33586	Foot Lifter Lever Shaft			
37	33654	Fabric Guide ······			
38	31858	Cloth Plate			
39	33658	Feed Mechanism Cover			
40	33593	Lower Trimming Knife Pushing Plate	·······下刃圧着	バネ	1
41	7618	Screw for 33593	下刃圧着	バネ止ネジ	1
42	33581	Lower Trimming Knife Guide Holder Connection	ı下刃ガイ	ド取付台	1
43	7609	Screw for Differential Feed Dog	前送リ止	ネジ	1
44	33655	Lower Trimming Knife Guide Holder			
45	1196	Screw for 33655	下刃ガイ	ドピン取付台止ネジ	ジ 1
46	3348	Lower Trimming Knife Guide Pin			

"MT"DE VICE



From the library of: Superior Sewing Machine & Supply LLC

Re	f.	Parts			Amt.
No	•	No.	Description	品名	Req.
	1-1	31821	"MT" Device, Complete Set (Class Z361)	"M.T"	
	1-2	31826	"MT10" Device, " " (for Z366)		
	2	31828	Cloth Plate	クロップレート	1
	3	33586	Foot Lifter Lever Shaft	畑 こ 熱	1
	<i>3</i>		Presser Foot Carrier		
		33697	Solenoid Cover		
	5	22653	Screw for 22653, 11760		
	6	9992			
	7	644	Spring Washer for 22653, 11760		
	8	538	Washer for 22653, 11760, 34186, 35293, 35723	・・・・ワッシャ・・・・・・・	10
	9	34186	Anti-vibration Plate for Solenoid Cover	・・・・ソレノイド振レ止メ板・・・・・・・	······································
1	.0	5489	Screw for Top Cover (Right)	·····上蓋(右)止ネジ······	······ 1
1	1	4252	Screw for 34186	カナーナイビ作しより作ようだ	11
	1	4353	Solenoid		
_	2	11760			
_	.3	35293	Solenoid Support		
	4	35301	Solenoid Connecting Rod Pin	・・・・・連結棒ビン・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	2
	.5	33024	Retaining Ring for 35301	Eリング	2
	.6	23217	Solenoid Spring		
	.7	35300	Retaining Ring for 23217		
	.8	5043	Screw for 35293		
	.9	35298	Solenoid Connecting Lever		
2	0	35302	Upper Knife Connecting Plate	·····上メス連結板·····	1
_		500	B.11		_
	1	568	Rubber Cushion for 35302 ·····		
	2	6068	Screw for 35302		
	13	35767	Cord Clamp (Large)		
	24	35303	Trimming Device, Complete Set		
	15	35296	Upper Knife Driving Lever		
2	.6	5098	Screw for 35296		
2	.7	33696	Upper Knife Holder Stay (Rear)	·····上メス台支エ(後)·····	1
2	8	532	Washer for 33696		
2	29	4353	Screw for 33696, 35313		
3	0	33695	Upper Knife Holder Stay (Front)	上メス台支エ(前)	1
				•	
3	1	4351	Screw for 33695		
3	2	35315	Upper Knife Holder		
_	3	33711	Upper Knife Spring		
	4	33710	Upper Knife Spring Collar		
3	5	3637	Screw for 33710		
3	6	33690	Upper Knife		
. 3	7	35313	Fabric Guide		
⁄ 3	8	4404	Screw for 35313, 33656	・・・・・止ネジ・・・・・	2
. 3	9	33656	Lower Knife	下メス	······ 1
4	0	7405	Screw for 33656	・・・・・下メス止ネジ・・・・・・・・・・・	1
			·		
4	1	36361	Upper Knife Rubber Cushion		
4	2	33640	Feed Mechanism Cover		
4	3	11755	Mannual Switch, Complete Set	スイッチ(組)	1
4	4	35723	Switch Support	·····スイッチ取付板······	1
4	5	5004	Screw for 35723		
4	6	11891	Switch		
	7	20989	Switch Cover		
	8	9993	Screw for 20989		
	9	35722	Cord Bushing		
	Ó	35719	Manmal Switch Plate		
	~	00/10	P. P. MARIETON CONTROLS I PORTO	- I / - DA	•
5	1	9995	Screw for 35719	・・・・・スイッチ板止ネジ・・・・・・・・	1
	2	2	Spring Washer for 35719		
	- 3	488	Nut for 35719		
	4 -1	11819	Control Box, Complete Set (MT Device)		
	$\hat{4} - \hat{2}$	11834	Control Box, Complete Set (MT10 Device)	·····M T10制御裝置(組)·········	Î
	5 -	11709	Control Box Stay		
	6		Wood Screw for 11709		
5		4358	Screw for (33764)	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	1
	8	335	Nut for (33764)	一手操べ パネは十二人	1
,	~	333	1100 (00 (00)	一部様々・小旭ノフリ	1



From the library of: Superior Sewing Machine & Supply LLC

Ref.	Parts				Amt.
No.	No.	Description	品	名	Req.

1-1	99056	Thread Stand, Complete Set (5 Spools Type)	糸立台(約	a)(5本糸用)·········	1
1-2	99073	" " " (4 Spools Type)		[,] (4 本糸用)·········	····· 1
2	99057	Column Cap	コラムキ	ャップ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	<u>2</u>
3	99058	Column Pipe (Upper)	コラムパ	イプ(上)・・・・・・・	1
4	99060	Thread Hanger (3 Spools Type)	・・・・・・スレッド	ハンガ(3本糸用)	1
5	99059	Thread Hanger (2 Spools Type)	スレッド	ハンガ(2本糸用)	1
6	147	Screw for 99059, 99060	止ネジ…	·	····· 4
7	148	Washer for 99059, 99060			
8	99061	Column Pipe Connector	コラムパ	イプ継手	1
9	149	Screw for 99061	止ネジ・・・	•••••	····· 2
10	150	Nut for 99061, 99066			
		·			
11	99062	Thread Guide Holder ·····			
12	151	Screw for 99062			
13	152	Nut for 99062, 99069			
14	99063	Column Pipe (Lower)	·····コラムパ	イプ(下)・・・・・・	1
15	154	Washer for 99063	ワッシャ		1
16	153	Nut for 99063	····・ナット···		1
17	99030	Thread Guide Bar	······································	工棒	1
18	99031	Thread Guide Bar Bracket	······································	点	1
19	99064	Thread Guide	······································		1
20	156	Screw for 99064	止ネジ…		2
		·			
21	99065	Spool Cushion			
22	99066	Spool Pin			
23	157	Spring Washer for 99066	スプリン	グワッシャ	5
24	99067	Spool Mat	····・スプール	マット・・・・・・・	5
25	99068	Spool Seat Disc	受ケ皿…		5
26	99069	Spool Holder Stay	スプール	ホルダ支エ	1
27	158	Screw for 99069	止ネジ…		1
28	159	Wood Screw for 99069	····・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・		1
29	99070	Spool Holder (3 Spools Type)			
30	99071	Spool Holder (2 Spools Type)	スプール	ホルダ(2本糸用)	1
-					•
31	31886	Belt Cover			
32	5089	Screw for 31886	ベルトカ	バー止ネジ	2
33	36523	Pulley Graduations Plate	プーリ目	盛板	1
34	99050	Tape Stand, for Z366, 367, 368	テープス	タンド・・・・・・	1
35		Screw for 99050	····・・·・・・テープス	タンド止ネジ	2
36	37961	Timing Gauge	タイミン	グゲージ・・・・・	1
₹	30080	Chip Receiver ······			
38	30083	Supporting Board			
39	30081	Chute (Upper)			
40	30082	Chute (Lower)			
	_ J - J -				
41		Wood Screw for 30081			
42		Screw for 30083			
43		Washer for 30083			
44		Nut for 30083	····・・・・・・・ナット···		12

List of Main Spare Parts (主要部品リスト)

Main Parts	Needle Clamp	Presser Foot Complete Set	Stitch plate	Differential Feed Dog	Main Feed Dog	Auxiliary Feed Dog	Upper Looper	Lower Looper	Double Chaining Looper	Needle (Double Ch Front		Needle (Overloci Front	Guard k Stitch) Rear
	針止メ	押工(組)	針 板	前送リ	後送り	小送り	上ルーパ	下ルーパ	二重環ルーパ	インタ針受(前)	インタ針受(後)	オーバ針受(前)	オーバ針受(後
Z361-A3DF	38101	33537	36569	33824	33825	33544	32807	34392	20378	33089	33088	33087	33086
-A4DF	"	. "	36570	"	"	"	"	"	"	"	"	"	"
-Y4DF	38011	33538	31865	"	"	"	"	"	"	"	"	"	"
-C5DF	33247	33539	36590	33828	33829	33328	"	"	"	33250	"	"	"
Z362-A4DF	38101	33537	36569	33824	33825	33544	(32813)	"	"	33089	"	"	"
-Y4DF	38011	33538	31865	"	"	"	"	"	"	"	"	"	"
-C5DF	33247	33539	36590	33828	33829	33328	"	"	"	33250	"	"	"
Z365-A4GF	38101	33300	36570	33307	33308	33558	32807	"	"	33089	"	"	"
-C5GF	33247	33312	36590	33315	33557	35264	"	"	"	33250	"	"	"
Z366-A4GF	38101	33405	36570	33307	33308	33558	"	"	"	33089	"	"	"
-C5GF	33247	33858	36590	33315	33557	35264	"	"	"	33250	"	"	"
Z367-A4GF	38101	33300	36570	33307	33308	33558	"	"	"	33089	"	"	"
Z368-A4DF	"	33319	31820	33824	33825	33328	"	"	"	"	"	"	"

Note: ()in "Upper Looper"…indicating "Upper Spreader" 上ルーパの()内は上スプレダを表わす。

Parts No.	Page No.	Ref. No.	Weight (g)	Parts No.	Page No.	Ref.	Weight (g)		Parts No.	Page No.	Ref. No.	Weight (g)
2	19	52	0.1	532	19	28	0.3	İ	1227	16	28	0.3
10	4	33	0.2	538	8	33	0.4	1	1228	4	20	0.2
14	4	48	2	538	11	40	0.4		1230	8	37	0.2
15	13	26	0.7	538	15	32	0.4		1230	14	17	0.2
147	20	6	4	538	16	36	0.4	{	1230	17	3	0.2
148	20	7	0.5	538	19	8	0.4		1230	18	31	0.2
149	20	9	1.5	550		11	0.03		1326	4	43	1
150	20	10	0.8	563		14	1.05	1	1326	10	18	1
151	20	12	4.5	567		6	0.07	İ	1330	1	9	0.6
152	20	13	1.5	567		18	0.07		1330	2	34	0.6
153	20	16	1	567		50	0.07		1330	15	31	0.6
154	20	15	5	568		21	0.13		1330	16	35	0.6
156	20	20	1	570		15	0.66		1333	12	36	0.9
157	20	23	0.7	1	_		. ,		1437	5	14	
158	20	27	2	636	10	6	0.02		1457	5	20	2.3
159	20	28	_ 3	637		11	0.12	- 1	1459	2	31	0.7
177	4	5	0.3	637		5	0.12	1	1459	8	12	0.7
182	4	31	4.3	639		23	0.21		1733	11	42	1.3
	-	~-	2,0	639		31	0.2		1892	9	35	0.1
210	11	48	1.5	644		7	0.8					- • -
216	8	44	0.3	687		13	0.1		2022	8	16	1
216	14	24	0.3			10	~.~	ŀ	2133	5	27	1.7
216	15	20	0.3	723	7	21	0.7		2528	2	44-1	
216	16	24	0.3	731		40	0.7		2529	2	44-2	
216	17	10	0.3	731		20	0.7		2030	_		
267	9	28		731		18	0.7		3313	6	16	0.1
274	9	36	0.1	731		22	0.7		3313	9	21	0.1
278	6	15	0.03	731		8	0.7		3348	18	46	1
278	9	20	0.03	755		15	0.2		3404	9	9	0.2
2.0	J	40	0.00]	, 11	10	0.2		3405	12	19	1
304	9	27	0.14	916	2	14			3406	11	37	3
317	1	16	0.65	926		36	0.06		3410	10	28	0.35
322	1	29	0.3	928		14	0.5		3434	3	32	0.4
322	14	5	0.3	930		13	0.4	-	3434	5	24	0.4
325	5	53	1	350	, ,	10	0.4		3434	7	16	0.4
325	9	29	1	1016	2	18			3434	13	9	0.4
334	8	3	0.6	1092		24	1.	1	3591	5	2	1
334	18	16	0.6	1170		32	0.1		3632	12	2	1.7
335	1	26	0.8	1174		30	1		3635	6	9	0.9
335	8	31	0.8	1174		27	1	1	3635	9	7	0.9
335	19	58	0.8	1174		23	1		3635	10	9	0.9
340	4	13	0.5	1186		19	1		3635	12	8	0.9
353	5	51		1186		27	1]	3636	5	49	2.5
000	J	ŲΙ		1196		45	0.5		3637	6	22	0.1
419	13	15	1	1202		47	0.8		3637	12	24	0.1
451	11	8	1.5	1202		30	0.8		3637	19	35	0.1
488	19	53		1202		46	0.5		3638	10	16	0.5
494	11	44	2.55	1222		26	0.5		3638	12	31	0.5
7/7	11	77	2.00	1222		22	0.5		5000	12	91	V.0
509	13	21	0.1	1222		26	0.5		4109	12	29	0.4
520	9	17	0.3	1222		12	0.5		4120	4	27	4
520	10	13	0.3	1223		35	0.55		4125	4	12	5
527	5	37	0.05	1223		12	0.55		4313	6	17	0.4
528	2	27	1.85	1227		49	0.33		4351	14	6	0.9
532	1	21	0.3	1227		29	0.3		4351	19	31	0.9
002	-	<i>-</i> 1	0.0	1 122/	13	49	0.0	I	4001	10	31	0.0

Parts No.	Page No.	Ref.	Weight (g)	Par No		Page No.	Ref.	Weighe		Parts No.	Page No.	Ref. No.	Weight (g)	
4353	3	2	0.9	50	71	10	2	2	ļ	7006	15	6	0.7	
4353	7	32	0.9	50	74	7	26	6		7006	16	6	0.7	
4353	12	10	0.9	50	76	1	5	8		7311	7	11	1.9	
4353	13	30	0.9	50	78	3	15	2.8		7405	1	27	1.2	
4353	18	33	0.9	50	89	2	26	4		7405	15	9	1.2	
4353	19	11	0.9	50	89	20	32	4		7405	16	9	1.2	
4353	19	29	0.9	50	94	3	28	1.7		7405	19	40	1.2	
4358	1	22	0.9	50	98	6	32	1.5		7609	12	12	1	
4358	2	46	0.9	50		19	26	1.5		7609	18	43	1	
4358	4	11	0.9	51		2	39	0.4		7616	7	19	0.3	
4358	12	20	0.9	53		3	23	0.9		7616	15	27	0.3	
4358	15	33	0.9	54	01	6	25	1		7616	16	33	0.3	
4358	16	37	0.9	54		19	10	3		7618	18	41	0.5	-
4358	18	35	0.9	55		9	18	5		7650	2	29	0.35	
4358	19	57	0.9	55		10	14	5	į	7650	5	12	0.35	
4404	6	30	0.2	55		8	4	2.1	ŀ	7668	13	49	4	
4404	8	48	0.2	55		18	17	2.1	ŀ	7904	4	7	5	
4404	19	38	0.2	55		9	25	0.65					-	
4410	6	7	0.9	55		7	20	2	-	8145	11	21	0.5	
4410	7	7	0.9	55		8	34	1.8		9029	5	18	_	
4410	12	16	0.9	55		11	30	3.75		9106	2	8	3	
4435	2	6	1.05	55		11	49	5		9106	11	46	3	
4437	3	6	1.5	55		11	27	1		9127		2	1.1	
4437	7	14	1.5	55		11	36	10		9143	1	23	0.4	
4437	10	7	1.5	55		1	13	10		9203	5	3	2	
4440	2	16	1.5	55		6	5	5]	9503	13	37	1	
4440	3	18	1.5	55		7	5	5		9506	9	5	0.6	
4440	4	47	1.5	55		11	4	5		9526	13	34	0.7	
4440	7	34	1.5	55		11	43	2		9604	6	11	0.9	
4440	10	4	1.5	55		8	30	$\stackrel{-}{1.7}$		9604	7	9	0.9	
4440	12	34	1.5	55		8	14	3		9604	10	31	0.9	
4441	3	4	2.2	55		11	2	3		9604	11	32	0.9	
4441	5	5	2.2	55		9	12	3		9604	13	12	0.9	
4441	18	32	2.2	55		10	20	3		9730	12	4	0.6	
4445	2	2	1.7		00	10	20	Ū		9852	1	7	2.5	
4591	7	29	2.4	60-	വ	8	6	14		9853	3	10	2	
4635	8	22	4	60		4	34	3		9853	4	37	2	
±000	0		- T	60		1	32	3.5		9853	13	2	2	
5000	4	18	0.5	60		19	22	2.5		9989	13	25	1	
5000	12	39	0.5	60		8	42	0.9		9992	19	6	2	
5004	9	31	2.3	60		14	22	0.9		9993	19	48	2.5	
5004	19	45	2.3	60		15	17	0.9		9995	19	51	0.4	
5036	8	39	0.6	60		16	21	0.9		5550	13	0.1	0.1	
5036	14	19	0.6	60		17	7	0.9		10100	18	4	132	
5036	15	3	0.6	62		13	43	10		11709	19	55	48	
5036	16	3	0.6	63		13	35	3.2		11755	19	43		
5036	17	5	0.6	64		8	17	27		11760	19	12	890	
5040	10	23	2	66		6	27	3		11819	19	54-1	_	
5040	18	$\frac{23}{12}$	2	68		13	16	$\frac{3}{2.4}$		11813	19	54-2		
5043	19	18	1.76	69		18	2	2		11891	19	46	_	
5043	4	41	0.3	69		10	18	5		11001	10	±0		
5050	9	33		33	-0	4	10	Ŭ		20004	2	11	8	
5071	6	2	2	704	በፍ	1	25	0.7		20004	2	12	1.25	
5071	7	2	2	70		2	20	0.7		20118	4	4	0.95	
5071	9	2	2	70		14	3	0.7		20113	4	26	7	
0011	J	4	er er	1 70	<i></i>	1.4		J.,	1	20120		20	•	

							_						
Parts No.	Page No.	Ref.	Weight (g)		Parts No.	Page No.	Ref. No.	Weight (g)		Parts No.	Page No.	Ref. No.	Weight (g)
20124	4	28	1.8		31871	2	32			32724	8	24	25
20125	4	29	0.36		31872	2	33			32725	8	28	20
20126	4	30	4	-	31873	2	38		ļ	32726	8	18	9
20128	4	38	3.5		31874	4	35		ļ	32727	8	20	13
20378	10	29	5.5	1	31875	14	36			32728	8	29	4.5
20403	12	28	0.5		31875	16	12			32729	8	10	1.1
20405	12	30	6.2		31876	10	32	_		32756	7	27	1.1
20538	3	16	0.07	1	31880	1	1		İ	32775	5	8	191
20989	19	47	13.2		31881	11	45	—		32777	5	. 7	62
22653	19	5	207		31883	1	19			32778	5	9	3
23217	19	. 16			31885	2	24		-	32784	9	4	3
24083	4	2			31886	20	31			32785	9	3	9
24084	4	1			31887	5	1			32786	9	8	4
30080	00	27			31888	4	9			32787	9	6	50
	20	37	 .	1					•	32789	10	12	29
30081	20	39			32350	5	38	0.1		32792	9	11	16
30082	20	40			32420	8	21	2		32799	9	19	2.75
30083	20	38			32421	1	4	0.1		32800	9	22	11
30228	11	31	12		32425	4	22	0.4	ļ	32806	13	29	1.6
30255	4	3	2.7		32426	4	23	0.1		32807	9	26	2
30291	5	33	1		32429	3	20	4		32813	14	37	2
30305	10	5	11		32476	13	13	15	İ	32817	5	4	51
30421	7	30	5	ĺ	32519	7	17	0.4		32818	5	6	5
30711	13	33	16		32552	8	19	87		32819	6	3-2	6
30745	13	17	0.4	1	32604	3	8	0.9		32819	7	3-2	6
30748	13	18	0.7		32604	6	28	0.9		32848	9	13	3
31111	4	6	5		32607	2	36	37		32849	9	14	2
31820	17	13	-		32608	2	37	7		32850	13	23	3.5
31821	19	1-1			32609	2	45	1.2		32867	12	5	2.8
31823	17	17		İ	32612	3	31	0.4		32879	1	11	11
31826	19	1-2			32618	2	23	1.6		32897	13	27	20
31828	19	2		ļ	32620	2	19	2		32900	7	1	41
31833	5	22			32620	14	2	2		32902	7	4	106
31834	5	36		İ	32622	2	21	7		32903	7	12	115
31835	5	50			32627	3	11	13		32906	5	28	1.65
31836	5	52			32644	6	4	57		32911	7	22	10
31030	J	34		1	32645	6	12	125		32912	7	18	8
31838	5	30			32646	6	10	123		32913	7	24	4
31839	5 5	26			32646	7	8			32913	7	2 4 25	3
31840	5 5	25			32647	5	31	12		32914	7	23 28	37
31841	5 5	23 34			32650	5	29	5		32917	7	31	3
31842		34 35								32917	7	10	
	5				32651	6	18	12	į				35 7
31844	5	39			32662	6	. 8	153		32921	6	6	7
31845	5	40	*******		32663	3	9	26		32921	7	6	7
31847	5	41			32670	6	1	55		32921	10	34	7
31848	5	42	_		32681	5	21	119	1	32925	5	11	47
31849	5	47		1	32684	5	32	1		32938	13	20	30.5
31850	5	46	 -		32685	13	1	8		32944	13	24	2.1
31851	5	45			32706	8	47	3		32952	4	14	1.8
31852	5	44			32714	8	8	6		32961	9	34	2
31853	5	43			32718	8	13	20		32962	4	15	8
31858	18	38			32719	8	11	5	[32963	4	50	1.1
31859	17	15			32720	8	15	89		32970	2	5	72
31860	12	18		-	32722	8	23	93	1				
31865	14	28		1.	32723	8	25	3		33006	6	26	66

Parts No.	Page No.	Ref.	Weight (g)		Parts No.	Page No.	Ref.	Weight		Parts No.	Page No.	Ref. No.	Weight (g)
33012	3	24	6		33247	14	34	5		33526	15	16	0.2
33013	3	22	14		33247	16	11	5		33526	16	20	0.2
33024	8	26	0.1		33250	14	35	3		33526	17	6	0.2
33024	19	15	0.1		33250	16	14	3		33529	8	43	0.2
33026	1	17	74		33251	12	1	32		33529	14	23	0.2
33037	3	25	28		33252	12	3	2		33529	15	19	0.2
33038	3	26	12		33265	3	21	0.1	}	33529	16	23	0.2
33051	5	23	36	- 1	33279	13	40	3	ļ	33529	17	9	0.2
33052	5	16	30	}	33280	13	39	51		33537	8	35	33
33054	10	10	44		33281	13	41	14		33538	14	15	33
33057	10	3	7	Ì	33282	13	42	14		33539	14	29	34
33058	10	8	38		33284	1	8	15		33544	12	13	3
33060	10	26	65	·	33300	15	14	31		33549	14	11-2	2
33064	10	24	33		33304	15	15	0.5		33557	16	16	17
33067	12	15	40	-	33304	16	19	0.5		33558	15	13	2
33071	10	25	14		33307	15	11	13		33559	14	11-1	3
33072	10	33	45	l	33308	15	12	16	ŀ	33562	2	15	7
33073	10	36	3.4		33312	16	18	31		33567	10	22	8
33074	10	37	6		33315	16	15	14		33568	10	19	32
33076	10	30	8	i	33319	17	1	34		33569	13	51	26
33077	5	13	39		33325	17	16	28		33571	18	25	67.2
33079	5	17	49	ļ	33327	17	18	4		33572	18	24	83
33080	5	15	489	1	33328	14	33	2		33574	18	26	4
33086	6	31	14		33328	17	14	2		33575	18	28	2
33087	6	33	0.8		33359	9	24	0.8		33581	18	42	3
33088	6	34	10	ŀ	33391	15	1	161		33586	18	36	88
33089	6	29	2		33398	15	7	1.1		33586	19	3	88
33094	11	14	15		33398	16	7	1.1	Ī	33588	18	29	1.1
33095	11	6	13		33399	15	4	158	1	33590	18	27	4
33096	14	14	31	1	33399	16	4	158		33592	18	34	14
33098	11	7	2		33400	15	8	0.7		33593	18	40	0.1
33099	11	12	3.6	ŀ	33400	16	8	0.7		33605	13	4	3
33100	11	22	65		33401	15	2	16		33606	10	21	31
33104	11	1	18		33403	16	1	160		33612	11	26	59
33105	11	24	33		33404	16	2	17		33626	9	1	41
33114	12	25	10	ŀ	33405	15	28	30		33627	1	12	11
33115	12	17	8	1	33409	15	30	46		33633	10	1	50
33116	12	14	19		33417	15	34	46		33640	19	42	121
33118	11	33	24		33430	15	23	71		33642	11	11	58
33119	5	48	15		33430	16	29	71		33643	11	10	51
33120	11	29	33		33432	15	26	10		33644	12	37	12
33121	11	28	16		33432	16	32	10		33647	12	33	10
33131	3	29	1.1	ļ	33433	15	25	15		33649	12	32	6
33133	11	35	2.6		33433	16	31	15	1	33651	12	35	1
33140	7	13	101							33653	3	1	29
33141	12	6	12		33515	8	36	0.6		33654	18	37	28
33142	7	15	18		33515	14	16	0.6		33655	18	44	4
33143	11	39	13		33515	17	2	0.6		33656	19	39	4
33144	13	32	332		33525	8	45	0.8		33657	8	38	1.5
33150	13	28	26		33525	14	25	8.0		33657	14	18	1.5
33159	4	25	1.5		33525	15	21	0.8		33657	17	4	1.5
33200	5	19	25		33525	16	25	0.8		33658	18	39	147
33205	4	36	2		33525	17	11	8.0		33659	12	38	5
33209	1	2	42		33526	8	41	0.2		33660	13	6	8
33230	10	35	8		33526	14	21	0.2		33661	13	3	10

Parts No.	Page No.	Ref.	Weight (g)		Parts No.	Page No.	Ref.	Weight (g)		Parts No.	Page No.	Ref. No.	Weight (g)
33662	13	38	81		34478	9	15	53		36291	11	17	29
33667	11	9	113		34505	2	29	7		36292	11	19	5
33668	13	46			34507	1	30	12		36293	11	20	2
33669	13	48		ŀ	34509	1	31	3		36294	11	16	36.5
33670	13	44	46		34517	9	10	66		36315	14	1-2	
33671	13	22	20		34521	11	3	33		36333	2	7	
33672	13	52	1		34628	1	10	59		36334	2	10	1
33680	14	4	0.4		34637	2	28	12		36336	2	4	2
33683	11	25	7		34639	2	25	1.9		36359	12	22	59
33690	19	36	20		34675	3	5	121		36360	12	26	56.2
33695	19	30	16		34676	3	7	2.7		36361	19	41	
33696	19	27	5		34943	14	1-1			36384	3	17	126
33697	19	4	19							36394	12	- 23	0.5
33710	19	34	0.5		35264	16	17	2		36399	4	8	
33711	19	33	0.8		35293	19	13	166.5		36414	2	3	1.92
33746	8	7	10		35296	19	25	17		36429	2	1	
33764	3	3	0.02		35298	19	19	18		36435	2	40	
33782	13	10	15		05000					36479	2	13	
33824	12	9	15		35300	19	17	1.3		36501	1	3	
33825	12	11	8		35301	19	14	2.9		36507	2	9	1.9
33826	14	9-1	15		35302	19	20	10		36515	1	24	3
33827	14	10-1	8		35303	19	24	197.2		36516	1	28	
33828 33829	14	31 32	18 8		35313 35315	19	37	3		36517	7	33	7.4
33830	14	3∠ 9-2	8 17		35357	19	32	54		36523	20	33 42	3
33831	$\frac{14}{14}$	10-2	8		35357	15 16	24 30	4 4		36531 36532	4	42 46	3 2.8
33834	14 14	7	. 17		35363	4	30 16	4 5		36533	4	46 44	2.8
33835	14 14	8	8		35364	4	17			36534	4 4	44 45	3.9
33858	16	27	31		35365	4	19	7		36535	10	17	5.5
33866	16	34	6		35366	4	10	<u>'</u>		36569	6	24-1	15
33899	5	10	-		35396	10	27			36570	6	24-2	15 15
33925	18	1	459	1	35719	19	50	_		36590	14	30	12
33928	18	3 -			35722	19	49	0.9		36590	16	13	12
33931	18	6	7.7		35723	19	44	45		36640	4	32	_
33932	18	20	15		35767	19	23	0.6		36641	4	40	
33933	18	23	87					0.0		36643	4	39	
33934	18	18	64		36175	4	21	0.1		36775	14	12	
33935	18	15	11		36179	2	16	28		36808	3	19	
33936	18	14	58		36187	12	27	32					
33937	18	13	5	·	36191	12	21	3.7		37372	6	20	13
33938	18	11	7		36192	9	23	26		37668	13	47	4
33939	18	21	12		36195	9	30	47	-	37669	13	45	4
33940	18	5	12		36216	3	30	13		37675	13	14	2
33941	18	19	43		36218	9	32	5.3		37697	13	7	0.1
33942	18	22	355		36220	11	34	41		37961	20	36	
33949	18	7	4.6	į	36222	14	13	21		37989	15	10	
33950	18	9	3		36223	11	41	21		37989	16	10	
33951	18	8	0.1		36226	11	38						
33953	18	10	156		36230	8	5	45	ľ	38011	14	27	5
					36231	8	9	26		38101	6	21	5
34104	9	16	28		36232	8	1	13		80503	13	19	0.2
34186	19	9	11		36240	2	21	77					
34392	10	15	4		36267	15	5	2		90320	6	14	3
34405	6	3-1	6	.	36267	16	5	2		90321	6	13	10
34405	7	3-1	6							99030	20	17	*******

Parts	Page	Ref.	Weight
No.	No.	No.	(g)
99031	20	18	
99050	20	34	
99056	20	1-1	_
99057	20	2	
99058	20	3	—
99059	20	5	
99060	20	4	
99061	20	8	
99062	20	11	
99063	20	14	
99064	20	19	
99065	20	21	
99066	20	22	
99067	20	24	
99068	20	25	
99069	20	26	
99070	20	29	
99071	20	30	
99073	20	1-2	

	Parts No.	Page No.	Ref.	Weight (g)
-				
	-			